


# Top quality pressing

Your specialist for pressed parts – and more

## Stocklist 2017



### Torispherical Heads acc. DIN 28011

1.4541 / 321


1.4571 / 316 Ti

1.4404 / 316L

P 265 GH, mostly double certified


acc. SA516 Gr. 60

S235JR+N




### Dished Only Ends

S235JR+N



### Flat Heads


S235JR+N



### Caps acc. ANSI B 16.9

Caps acc. DIN 2617/EN 10253-2

P 265 GH, mostly double certified



### Elliptical heads acc. DIN 28013

P 265 GH, mostly double certified

## Torispherical Heads acc. DIN 28011

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH	S235JR+ N
21,3	2,0	Stock	Stock			
21,3	3,0		Stock		Stock	Stock
26,9	2,0	Stock	Stock			
26,9	3,0	Stock	Stock		Stock	Stock
31,8	3,0					Stock
33,7	2,0		Stock			
33,7	3,0	Stock	Stock		Stock	Stock
33,7	4,0				Stock	
38,0	3,0				Stock	Stock
42,4	2,0		Stock			
42,4	3,0	Stock	Stock		Stock	Stock
42,4	4,0				Stock	
44,5	3,0				Stock	Stock
48,3	2,0		Stock			
48,3	3,0	Stock	Stock		Stock	Stock
48,3	4,0				Stock	
51,0	3,0				Stock	Stock
57,0	3,0				Stock	Stock
60,3	2,0		Stock			
60,3	3,0	Stock	Stock		Stock	Stock
60,3	4,0		Stock		Stock	
60,3	5,0				Stock	
63,5	3,0				Stock	Stock

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH	S235JR+ N
70,0	3,0				Stock	Stock
76,1	3,0	Stock	Stock		Stock	Stock
76,1	4,0		Stock		Stock	
76,1	5,0				Stock	
76,1	6,0				Stock	
82,5	3,0				Stock	Stock
88,9	3,0	Stock	Stock	Stock	Stock	Stock
88,9	4,0		Stock	Stock	Stock	
88,9	5,0				Stock	
88,9	6,0				Stock	
101,6	3,0		Stock			
101,6	4,0				Stock	Stock
108,0	3,0	Stock	Stock			
108,0	4,0		Stock		Stock	Stock
114,3	3,0	Stock	Stock			
114,3	4,0	Stock	Stock	Stock	Stock	Stock
114,3	5,0		Stock		Stock	
114,3	6,0		Stock		Stock	
121,0	4,0				Stock	Stock
127,0	4,0		Stock		Stock	Stock
133,0	3,0		Stock			
133,0	4,0		Stock		Stock	Stock
133,0	5,0				Stock	
139,7	3,0	Stock	Stock			
139,7	4,0	Stock	Stock	Stock	Stock	Stock

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH	S235JR+ N
139,7	5,0		Stock		Stock	
139,7	6,0				Stock	
139,7	8,0				Stock	
152,4	5,0				Stock	
159,0	3,0	Stock	Stock			
159,0	4,0		Stock		Stock	
159,0	5,0		Stock		Stock	Stock
168,3	3,0	Stock	Stock			
168,3	4,0	Stock	Stock	Stock	Stock	
168,3	5,0	Stock	Stock	Stock	Stock	Stock
168,3	6,0		Stock		Stock	
168,3	8,0		Stock		Stock	
177,8	3,0		Stock			
177,8	5,0				Stock	Stock
193,7	3,0	Stock	Stock			
193,7	4,0		Stock			
193,7	5,0			Stock	Stock	Stock
193,7	6,0				Stock	
219,1	3,0	Stock	Stock		Stock	
219,1	4,0	Stock	Stock	Stock	Stock	
219,1	5,0	Stock	Stock		Stock	
219,1	6,0		Stock	Stock	Stock	Stock
219,1	8,0		Stock		Stock	
219,1	10,0				Stock	
219,1	12,0				Stock	

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH	S235JR+ N
244,5	3,0		Stock			
244,5	5,0		Stock		Stock	
244,5	6,0				Stock	
244,5	8,0				Stock	
250,0	3,0		Stock		Stock	
250,0	4,0				Stock	
267,0	3,0		Stock			
267,0	6,0				Stock	
273,0	3,0	Stock				Stock
273,0	4,0	Stock	Stock	Stock	Stock	Stock
273,0	5,0		Stock	Stock	Stock	
273,0	6,0		Stock		Stock	
273,0	7,0				Stock	
273,0	8,0		Stock		Stock	
273,0	10,0				Stock	
273,0	12,0				Stock	
300,0	3,0		Stock			
300,0	4,0		Stock	Stock	Stock	
300,0	5,0				Stock	
300,0	6,0				Stock	
300,0	8,0				Stock	
323,9	3,0	Stock	Stock			
323,9	4,0	Stock	Stock			
323,9	5,0	Stock	Stock	Stock	Stock	
323,9	6,0		Stock		Stock	

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH	
323,9	7,0				Stock	Stock
323,9	8,0		Stock		Stock	
323,9	10,0		Stock		Stock	
323,9	12,0				Stock	
350,0	3,0				Stock	
350,0	4,0				Stock	
350,0	5,0		Stock		Stock	
350,0	6,0				Stock	
350,0	8,0				Stock	
355,6	3,0		Stock			
355,6	4,0	Stock	Stock			
355,6	5,0		Stock	Stock	Stock	
355,6	6,0				Stock	
355,6	7,0		Stock			
355,6	8,0		Stock		Stock	
355,6	10,0				Stock	
355,6	12,0				Stock	
368,0	4,0		Stock			
368,0	6,0				Stock	
368,0	8,0				Stock	
400,0	3,0		Stock			
400,0	4,0		Stock	Stock	Stock	
400,0	5,0		Stock		Stock	
400,0	6,0				Stock	
400,0	8,0				Stock	

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH	
406,4	3,0		Stock			
406,4	4,0	Stock	Stock	Stock		
406,4	5,0		Stock		Stock	
406,4	6,0		Stock		Stock	
406,4	8,0				Stock	Stock
406,4	10,0				Stock	
419,0	5,0		Stock	Stock	Stock	
419,0	6,0		Stock		Stock	
419,0	8,0				Stock	
419,0	10,0				Stock	
450,0	3,0		Stock			
450,0	4,0		Stock		Stock	
450,0	5,0		Stock	Stock	Stock	
450,0	6,0				Stock	
450,0	8,0				Stock	
450,0	10,0				Stock	
457,2	3,0		Stock			
457,2	4,0		Stock			
457,2	5,0		Stock	Stock		
457,2	6,0				Stock	
457,2	8,0				Stock	
457,2	10,0				Stock	
457,2	12,0				Stock	
500,0	3,0		Stock	Stock	Stock	
500,0	4,0		Stock	Stock	Stock	

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH
500,0	5,0		Stock	Stock	Stock
500,0	6,0		Stock		Stock
500,0	8,0				Stock
500,0	10,0				Stock
508,0	3,0		Stock		
508,0	4,0	Stock	Stock		
508,0	5,0	Stock	Stock	Stock	Stock
508,0	6,0		Stock		Stock
508,0	8,0		Stock		Stock
508,0	10,0				Stock
508,0	12,0				Stock
521,0	7,0				Stock
550,0	3,0		Stock		
550,0	4,0		Stock		Stock
550,0	5,0		Stock	Stock	Stock
550,0	6,0				Stock
550,0	8,0				Stock
550,0	10,0				Stock
558,8	5,0		Stock		
558,8	6,0				Stock
558,8	8,0				Stock
600,0	3,0		Stock		Stock
600,0	4,0		Stock	Stock	Stock
600,0	5,0		Stock		Stock
600,0	6,0		Stock		Stock



OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH
600,0	8,0		Stock		Stock
600,0	10,0				Stock
600,0	12,0				Stock
609,6	4,0	Stock	Stock		
609,6	5,0		Stock	Stock	
609,6	6,0		Stock		Stock
609,6	8,0				Stock
609,6	10,0				Stock
609,6	12,0				Stock
650,0	4,0		Stock		Stock
650,0	5,0		Stock	Stock	Stock
650,0	6,0				Stock
650,0	8,0				Stock
650,0	10,0				Stock
650,0	12,0				Stock
660,4	8,0				Stock
660,4	10,0				Stock
700,0	3,0		Stock		
700,0	4,0		Stock	Stock	Stock
700,0	5,0		Stock		Stock
700,0	6,0		Stock		Stock
700,0	8,0				Stock
700,0	10,0				Stock
700,0	12,0				Stock
711,2	5,0		Stock		

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH
711,2	6,0				Stock
711,2	8,0				Stock
711,2	10,0				Stock
750,0	3,0				Stock
750,0	4,0		Stock		Stock
750,0	5,0		Stock		Stock
750,0	6,0				Stock
750,0	8,0				Stock
750,0	10,0				Stock
750,0	12,0				Stock
800,0	3,0		Stock		
800,0	4,0		Stock	Stock	Stock
800,0	5,0		Stock	Stock	Stock
800,0	6,0		Stock		Stock
800,0	8,0		Stock		Stock
800,0	10,0				Stock
800,0	12,0				Stock
812,8	8,0				Stock
812,8	10,0				Stock
812,8	12,0				Stock
850,0	4,0		Stock		Stock
850,0	5,0				Stock
850,0	6,0				Stock
850,0	8,0				Stock
850,0	10,0				Stock

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH
900,0	4,0		Stock		Stock
900,0	5,0		Stock	Stock	Stock
900,0	6,0		Stock		Stock
900,0	8,0				Stock
900,0	10,0				Stock
900,0	12,0				Stock
914,4	6,0				Stock
914,4	8,0				Stock
914,4	10,0				Stock
950,0	4,0		Stock		
950,0	5,0				Stock
950,0	6,0				Stock
950,0	8,0				Stock
950,0	10,0				Stock
1000,0	4,0	Stock	Stock	Stock	Stock
1000,0	5,0		Stock		Stock
1000,0	6,0		Stock		Stock
1000,0	7,0				Stock
1000,0	8,0				Stock
1000,0	10,0				Stock
1000,0	12,0				Stock
1016,0	10,0				Stock
1050,0	6,0				Stock
1100,0	4,0		Stock		
1100,0	5,0		Stock		Stock

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH
1100,0	6,0				Stock
1100,0	8,0				Stock
1100,0	10,0				Stock
1100,0	12,0				Stock
1150,0	6,0				Stock
1150,0	8,0				Stock
1150,0	10,0				Stock
1200,0	4,0		Stock		
1200,0	5,0		Stock		Stock
1200,0	6,0		Stock		Stock
1200,0	8,0				Stock
1200,0	10,0				Stock
1200,0	12,0				Stock
1220,0	10,0				Stock
1250,0	5,0				Stock
1250,0	6,0				Stock
1250,0	8,0				Stock
1250,0	10,0				Stock
1300,0	5,0				Stock
1300,0	6,0				Stock
1300,0	8,0				Stock
1300,0	10,0				Stock
1300,0	12,0				Stock
1400,0	5,0				Stock
1400,0	6,0				Stock

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH
1400,0	8,0				Stock
1400,0	10,0				Stock
1400,0	12,0				Stock
1500,0	5,0				Stock
1500,0	6,0				Stock
1500,0	8,0				Stock
1500,0	10,0				Stock
1500,0	12,0				Stock
1600,0	5,0				Stock
1600,0	6,0				Stock
1600,0	8,0				Stock
1600,0	10,0				Stock
1600,0	12,0				Stock
1800,0	6,0				Stock
1800,0	8,0				Stock
1800,0	10,0				Stock
1800,0	12,0				Stock
2000,0	6,0				Stock
2000,0	8,0				Stock
2000,0	10,0				Stock
2000,0	12,0				Stock
2200,0	8,0				Stock
2200,0	10,0				Stock
2200,0	12,0				Stock
2400,0	8,0				Stock

OD	Thickness	1.4541 / 321	1.4571 / 316 Ti	1.4404 / 316L	P 265 GH
2400,0	12,0				Stock
2500,0	8,0				Stock

## Dished Only Ends

## Flat Heads

OD	Thickness	S235JR+N	OD	Thickness	S235JR+N
21,3	3,0	Stock	300,0	3,0	Stock
26,9	3,0	Stock	400,0	3,0	Stock
31,8	3,0	Stock	500,0	3,0	Stock
33,7	3,0	Stock			
38,0	3,0	Stock			
42,4	3,0	Stock			
44,5	3,0	Stock			
48,3	3,0	Stock			
51,0	3,0	Stock			
57,0	3,0	Stock			
60,3	3,0	Stock			
63,5	3,0	Stock			
70,0	3,0	Stock			
76,1	3,0	Stock			
82,5	3,0	Stock			
88,9	3,0	Stock			
101,6	4,0	Stock			
108,0	4,0	Stock			
114,3	4,0	Stock			
133,0	4,0	Stock			
139,7	4,0	Stock			
159,0	4,0	Stock			
168,3	4,0	Stock			
193,7	4,0	Stock			

219,1	5,0	Stock
267,0	5,0	Stock
273,0	5,0	Stock
323,9	6,0	Stock



**Caps acc. ANSI B 16.9**
**Caps acc. DIN 2617 / EN 10253-2**

OD	Thickness	Inch	STD	XS	OD	Thickness	P 265 GH
33,40	3,38/4,54	1	Stock	Stock	21,3	2,0	Stock
42,20	3,56/4,85	1 ¼	Stock	Stock	26,9	2,3	Stock
48,30	3,68/5,08	1 ½	Stock	Stock	33,7	2,6	Stock
60,30	3,91/5,54	2	Stock	Stock	42,4	2,6	Stock
73,00	5,16/7,01	2 ½	Stock	Stock	48,3	2,6	Stock
88,90	5,49/7,62	3	Stock	Stock	60,3	2,9	Stock
114,30	6,02/8,56	4	Stock	Stock	76,1	2,9	Stock
141,30	6,55/9,53	5	Stock	Stock	88,9	3,2	Stock
168,30	7,11/10,97	6	Stock	Stock	108,0	3,6	Stock
219,10	8,18/12,7	8	Stock	Stock	114,3	3,6	Stock
273,00	9,27/12,7	10	Stock	Stock	139,7	4,0	Stock
323,80	9,53/12,7	12	Stock	Stock	159,0	4,5	Stock
355,60	9,53/12,7	14	Stock	Stock	168,3	4,5	Stock
406,40	9,53/12,7	16	Stock	Stock	219,1	6,3	Stock
457,00	9,53/12,7	18	Stock	Stock	273,0	6,3	Stock
508,00	9,53/12,7	20	Stock	Stock	323,9	7,1	Stock
610,00	9,53/12,7	24	Stock	Stock	355,6	8,0	Stock
					406,4	8,8	Stock
					457,2	10,0	Stock
					508,0	11,0	Stock

## Elliptical Heads acc. DIN 28013

OD	Thickness	P 265 GH
159,0	4,0	Stock
168,3	4,0	Stock
168,3	6,0	Stock
168,3	10,0	Stock
219,1	6,0	Stock
219,1	7,0	Stock
219,1	11,0	Stock
273,0	6,0	Stock
273,0	8,0	Stock
273,0	11,0	Stock
300,0	5,0	Stock
323,9	8,0	Stock
323,9	11,0	Stock
355,6	7,0	Stock
355,6	8,0	Stock
355,6	11,0	Stock
400,0	6,0	Stock
400,0	8,0	Stock
406,4	8,0	Stock
406,4	11,0	Stock
457,2	8,0	Stock
457,2	9,0	Stock
457,2	11,0	Stock

OD	Thickness	P 265 GH
500,0	6,0	Stock
500,0	10,0	Stock
508,0	8,0	Stock
508,0	10,0	Stock
508,0	11,0	Stock
600,0	6,0	Stock
600,0	8,0	Stock
600,0	10,0	Stock
609,6	8,0	Stock
609,6	10,0	Stock
609,6	11,0	Stock
650,0	8,0	Stock
700,0	10,0	Stock
711,2	10,0	Stock
800,0	6,0	Stock
800,0	8,0	Stock
800,0	10,0	Stock
800,0	12,0	Stock
900,0	8,0	Stock
900,0	10,0	Stock
1000,0	6,0	Stock
1000,0	8,0	Stock
1000,0	10,0	Stock
1100,0	10,0	Stock
1200,0	6,0	Stock

OD	Thickness	P 265 GH
1200,0	8,0	Stock
1200,0	12,0	Stock
1400,0	6,0	Stock
1400,0	8,0	Stock
1400,0	11,0	Stock
1400,0	12,0	Stock
1600,0	8,0	Stock